

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	104731	(OPP OR OPP OR PCTFE OR PEP OR PFA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/02 09:14
L5	13	(US-20050276072-\$ or US-20040125457-\$ or US-20040156998-\$ or US-20040125458-\$ or US-20030026085-\$ or US-20040252489-\$ or US-20040251837-\$).did. or (US-6866393-\$ or US-6825895-\$ or US-6742921-\$ or US-6655810-\$ or US-6636358-\$ or US-7245279-\$).did.	US-PGPUB; USPAT	AND	ON	2011/06/02 09:14
L6	0	4 and 5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/02 09:14
L7	16641	(vinylidene adj chloride-vinyl adj chloride or vinylidene adj chloride-acrylonitrile or vinylidene adj chloride-acrylic or biaxially adj2 polypropylene or non adj oriented adj polypropylene or cyclic adj polyolefin or polychloro adj trifluoro adj ethylene or tetrafluoroethylene-hexafluoropropylene or tetrafluoroethylene-perfluoroalkyl adj vinyl ether)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/02 09:26
L8	0	7 and 5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/02 09:26

L9	430	(moisture or moisture-proof\$4 or mosture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) with (vinylidene adj chloride-vinyl adj chloride or vinylidene adj chloride-acrylonitrile or vinylidene adj chloride-acrylic or biaxially adj2 polypropylene or non adj oriented adj polypropylene or cyclic adj polyolefin or polychloro adj trifluoro adj ethylene or tetrafluoroethylene-hexafluoropropylene or tetrafluoroethylene-perfluoroalkyl adj vinyl ether)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/02 09:58
L10	207	(moisture or moisture-proof\$4 or mosture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) with (vinylidene adj chloride-vinyl adj chloride or vinylidene adj chloride-acrylonitrile or vinylidene adj chloride-acrylic or biaxially adj2 polypropylene or non adj oriented adj polypropylene or cyclic adj polyolefin or polychloro adj trifluoro adj ethylene or tetrafluoroethylene-hexafluoropropylene or tetrafluoroethylene-perfluoroalkyl adj vinyl ether) @ad< "20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/02 09:59
L11	0	"362".clas. (moisture or moisture-proof\$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) with (vinylidene adj chloride-vinyl adj chloride or vinylidene adj chloride-acrylonitrile or vinylidene adj chloride-acrylic or biaxially adj2 polypropylene or non adj oriented adj polypropylene	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/02 10:13

		or cyclic adj polyolefin or polychloro adj trifluoro adj ethylene or tetrafluoroethylene- hexafluoropropylene or tetrafluoroethylene- perfluoroalkyl adj vinyl ether) @ad<"20040227"				
L12	11	(moisture or moisture-proof \$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repel\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) with (vinylidene adj chloride- acrylonitrile) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/02 11:19
L13	879	(moisture or moisture-proof \$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repel\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) with (vinylidene adj chlori\$4) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/02 11:20
L14	0	"362".clas. (moisture or moisture-proof\$4 or moisture- resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repel\$4) or repel \$4 or waterproof\$4 or moistureproof\$4) with (vinylidene adj chlori\$4) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/02 11:20
L15	879	(moisture or moisture-proof \$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repel\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) with (vinylidene adj chlori\$4) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/02 11:21
L16	11	(moisture or moisture-proof \$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repel\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) with (vinylidene adj chlorid\$4- acrylonitri\$4) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/02 11:21

L17	36	(moisture or moisture-proof\$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) with (vinylidene adj (chlorid\$4-acrylonitri\$4 or chlorid\$4 adj acrylonitri\$4)) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/02 11:22
L18	16	(US-20050276072-\$ or US-20040125457-\$ or US-20040156998-\$ or US-20040125458-\$ or US-20030026085-\$ or US-20040252489-\$ or US-20040251837-\$ or US-20040070328-\$).did. or (US-6866393-\$ or US-6825895-\$ or US-6742921-\$ or US-6655810-\$ or US-6636358-\$ or US-7245279-\$ or US-5264467-\$ or US-5158810-\$).did.	US-PGPUB; USPAT	AND	ON	2011/06/02 11:36
L19	1	(US-20040125458-\$).did.	US-PGPUB	AND	ON	2011/06/02 11:37
L20	1	19 (backlight)	US-PGPUB; USPAT	AND	ON	2011/06/02 11:37
L21	1	19 (backlight)	US-PGPUB; USPAT	AND	ON	2011/06/02 11:38
S1	1	"10590872"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 11:06
S2	6857	"362".clas. (moisture or moisture-proof\$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel\$4 or waterproof\$4 or moistureproof\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 12:41
S3	810	"362".clas. (moisture or moisture-proof\$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) with (layer or coat\$4 or film)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 12:42

S4	112	362/600-634,97.1-97.4.ccls. (moisture or moisture-proof \$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repel\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) with (layer or coat\$4 or film)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 12:43
S5	27	362/600-634,97.1-97.4.ccls. (moisture or moisture-proof \$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repel\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) with (layer or coat\$4 or film) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 12:44
S6	0	362/600-634,97.1-97.4.ccls. (vapor near2 permeab\$5) (layer or coat\$4 or film) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 13:02
S7	0	362/600-634,97.1-97.4.ccls. (vapor near2 permeab\$5) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 13:02
S8	0	362/600-634,97.1-97.4.ccls. (vapor near2 permeab\$5) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 13:02
S9	223	362/600-634,97.1-97.4.ccls. (vapor) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 13:02
S10	81	362/600-634,97.1-97.4.ccls. (moisture or moisture-proof \$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repel\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 13:03

S11	49	362/600-634,97.1-97.4.ccls. (moisture or moisture-proof \$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repel\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) (silica or silicon or alumin\$4 or titanium or selenium or magnesium or barium or zinc or tin or indium or tantalum or zirconium or thorium or thallium) @ad< "20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 13:04
S12	7	362/600-634,97.1-97.4.ccls. (moisture or moisture-proof \$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repel\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) same (silica or silicon or alumin\$4 or titanium or selenium or magnesium or barium or zinc or tin or indium or tantalum or zirconium or thorium or thallium) @ad< "20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 13:05
S13	4	"2001023425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 13:42
S14	0	(fujitani near2 masaya or baba near2 kazuyuki)"in."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 13:57
S15	0	(fujitani near2 masaya or baba near2 kazuyuki)".in."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 13:57
S16	54	(fujitani near2 masaya or baba near2 kazuyuki).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 13:57

S17	2	(fujitani near2 masaya or baba near2 kazuyuki).in. (moisture or fluid or vapor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 13:57
S18	2	(fujitani near2 masaya or baba near2 kazuyuki).in. (moisture or fluid or vapor or water)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 13:57
S19	279	(backlight or light-guid\$4 or light adj guid\$4) same (moisture or moisture-proof \$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) with (layer or coat\$4 or film)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 13:58
S20	1144	(backlight or light-guid\$4 or light adj guid\$4) same (moisture or moisture-proof \$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel\$4 or waterproof\$4 or moistureproof\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 13:58
S21	1153	(backlight or light-guid\$4 or light adj guid\$4) same (moisture or moisture-proof \$4 or moisture-resist\$4 or (fluid or water or moisture or vapor) near2 (proof\$4 or resist\$4 or repell\$4) or repel\$4 or waterproof\$4 or moistureproof\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 13:59
S22	437	(backlight or light-guid\$4 or light adj guid\$4) same (moisture or moisture-proof \$4 or moisture-resist\$4 or (fluid or water or moisture or vapor) near2 (proof\$4 or resist\$4 or repell\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 13:59

S23	24136	(backlight or light-guid\$4 or light adj guid\$4) same (moisture or liquid or vapor or fluid) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 14:01
S24	20021	(backlight or light-guid\$4 or light adj guid\$4) with (moisture or liquid or vapor or fluid) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 14:01
S25	4221	(backlight or light-guid\$4 or light adj guid\$4) with (moisture or liquid or vapor or fluid) with (film or layer or coat\$4) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 14:01
S26	0	"200123425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 14:08
S27	4	"2001023425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 14:08
S28	4	"2004109379"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 14:28
S29	10425	(light-guid\$4 or guid\$4) with (moisture or moisture-proof \$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel\$4 or waterproof\$4 or moistureproof\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 14:38
S30	586	(light-guid\$4 or (light or wave) adj guid\$4) with (moisture or moisture-proof \$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel\$4 or waterproof\$4 or moistureproof\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 14:38

S31	307	(light-guid\$4 or (light or wave) adj guid\$4) with (moisture or moisture-proof \$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 14:39
S32	31	("362".clas. or backlight) (light-guid\$4 or (light or wave) adj guid\$4) with (moisture or moisture-proof \$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 14:39
S33	9	(US-20050276072-\$ or US-20040125457-\$ or US-20040156998-\$ or US-20040125458-\$).did. or (US-6866393-\$ or US-6825895-\$ or US-6742921-\$ or US-6655810-\$ or US-6636358-\$).did.	US-PGPUB; USPAT	AND	ON	2011/06/01 14:45
S34	1	(US-20040125458-\$).did.	US-PGPUB	AND	ON	2011/06/01 14:50
S35	1	S34 (scatter\$4 or diffus\$4 or dispers\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 14:50
S36	1	S34 (scatter\$4 or diffus\$4 or dispers\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 14:50
S37	31	("362".clas. or backlight) (light-guid\$4 or (light or wave) adj guid\$4) with (moisture or moisture-proof \$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel\$4 or waterproof\$4 or moistureproof\$4 or water adj proof\$4) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 15:20

S38	35	("362".clas. or backlight) with (moisture or moisture- proof\$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel \$4 or waterproof\$4 or moistureproof\$4 or water adj proof\$4) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 15:26
S39	5251	("362".clas. or backlight) (moisture or moisture-proof \$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repel\$4) or repel\$4 or waterproof\$4 or moistureproof\$4 or water adj proof\$4) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 15:26
S40	65	("362".clas. or backlight) (light-guid\$4 or (wave or light) adj guid\$4 or guid\$4) with (moisture or moisture- proof\$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel \$4 or waterproof\$4 or moistureproof\$4 or water adj proof\$4) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 15:26
S41	65	("362".clas. or backlight) (light-guid\$4 or (wave or light) adj guid\$4 or guid\$4) with ((moisture or moisture- proof\$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel \$4 or waterproof\$4 or moistureproof\$4 or water adj proof\$4)) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 15:26
S42	30	("362".clas. or backlight) (light-guid\$4 or (wave or light) adj guid\$4 or guid\$4) with (encapsula\$5) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 15:29
S43	20	("362".clas. or backlight) (light-guid\$4 or (wave or light) adj(guid\$4)) with (encapsula\$5) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 15:31

S44	13	("362".clas. or backlight) (light-guid\$4 or (wave or light) adj(guid\$4)) near6 (encapsula\$5) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 15:32
S45	19	("362".clas. or backlight) (light-guid\$4 or (wave or light) adj(guid\$4) or guid\$4) near6 (encapsula\$5) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 15:33
S46	755	inciden\$4 near9 (moisture or moisture-proof\$4 or mosture- resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel \$4 or waterproof\$4 or moistureproof\$4 or water adj proof\$4) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 15:41
S47	5	"362".clas. inciden\$4 near9 (moisture or moisture-proof \$4 or mosture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel\$4 or waterproof\$4 or moistureproof\$4 or water adj proof\$4) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 15:41
S48	183	"362".clas. (moisture or moisture-proof\$4 or mosture- resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel \$4 or waterproof\$4 or moistureproof\$4) same (silica or silicon or alumin\$4 or titanium or selenium or magnesium or barium or zinc or tin or indium or tantalum or zirconium or thorium or thallium) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 16:16
S49	47	"362".clas. (moisture or moisture-proof\$4 or mosture- resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel \$4 or waterproof\$4 or moistureproof\$4) same (silica \$4) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 16:18

S50	3	"362".clas. backlight (moisture or moisture-proof\$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) same (silica\$4) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 16:19
S51	13	"362".clas. (moisture or moisture-proof\$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) with (silica\$4) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 16:21
S52	90	"362".clas. (moisture or moisture-proof\$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) with (silica\$4 or silicon\$4) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 16:22
S53	2	"362".clas. (backlight) (moisture or moisture-proof\$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) with (silica\$4 or silicon\$4) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 16:23
S54	3	"362".clas. light adj guid\$4 (moisture or moisture-proof\$4 or moisture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) with (silica\$4 or silicon\$4) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 16:23
S55	11	(US-20050276072-\$ or US-20040125457-\$ or US-20040156998-\$ or US-20040125458-\$ or US-20030026085-\$).did. or (US-6866393-\$ or US-6825895-\$ or US-6742921-\$ or US-6655810-\$ or US-6636358-\$ or US-7245279-\$).did.	US-PGPUB; USPAT	AND	ON	2011/06/01 16:24

S56	9	S55 (silica or silicon or alumin \$4 or titanium or selenium or magnesium or barium or zinc or tin or indium or tantalum or zirconium or thorium or thallium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 16:25
S57	3	"362".clas. light adj guid\$4 (moisture or moisture-proof \$4 or mosture-resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel\$4 or waterproof\$4 or moistureproof\$4) with (silica \$4 or silicon\$4) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 16:44
S58	90	"362".clas. (moisture or moisture-proof\$4 or mosture- resist\$4 or (fluid or water or moisture) near2 (proof\$4 or resist\$4 or repell\$4) or repel \$4 or waterproof\$4 or moistureproof\$4) with (silica \$4 or silicon\$4) @ad<"20040227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2011/06/01 16:44

6/ 2/ 2011 1:33:49 PM

C:\ Documents and Settings\ edzierzynski\ My Documents\ EAST\ Workspaces\ 10590872.wsp